

Notice of Allowability	Application No.	Applicant(s)	
	10/815,134	MARTIN, ROY C.	
	Examiner	Art Unit	
	Douglas D. Watts	3724	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 11/30/04 email.

2. The allowed claim(s) is/are 1.

3. The drawings filed on 31 March 2004 are accepted by the Examiner.

4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some* c) None of the:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. _____.

3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date _____.

(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
- 4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
- 5. Notice of Informal Patent Application (PTO-152)
- 6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
- 7. Examiner's Amendment/Comment
- 8. Examiner's Statement of Reasons for Allowance
- 9. Other _____.

DOUGLAS D. WATTS
PRIMARY EXAMINER

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr Martin on 11/30/04.

The application has been amended as follows: delete claims 1-19.

Insert therefor the following claim:

20 A nail trimmer comprising;

an automatically operated dado blade mounted in an extended baton-like device which is of a length that assures the user of a comfortable and convenient functioning;

the longer of the two baton-like device parts containing a high-speed DC motor, which, through a mechanical connection drives a dado blade in the shorter of the two parts of the baton-like device, such that the functioning edge of the dado blade rotates only down on the nail being trimmed;

the said high-speed motor DC motor being controlled by a gravity-operated switch which permits dado blade operation only in approximation of the functioning attitude of the baton-like device;

and, the shorter of the two parts of the baton-like device houses the dado blade trimmer such that the blade is mounted transversally, permitting the functioning edge of the blade to rotate down across a narrow opening in the side of said housing;

Art Unit: 3724

the size and shape of said narrow opening in the housing is such that only a safe exposure to the cutting edge of the dado blade is assured;

the said housing of the shorter of the two parts of the baton-like device being of a shape and size that permits a facile movement around and between the user's toes, and which supports a specially shaped removable rubber like cover which provides the toe with assured safe positioning, and when removed, an efficient clean out opening.

The following is an examiner's statement of reasons for allowance: the cited art fails to show the claimed arrangement of a rotary dado blade protruding from a slot in the wall of the device to rotate downwardly along with the end cap ont the rest of the claimed organization. The claim is thus allowed..

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas D. Watts whose telephone number is (703) 308-0153. The examiner can normally be reached on Mon.-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Allen Shoap can be reached on (703) 308-1082. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DDW
12/1/04



DOUGLAS D. WATTS
PRIMARY EXAMINER